WSE CLASS LIMIT ADJUSTMENT (WSE-CLA)

Brief Summary

SFWMD

April 2005

Class Limits Adjustment (CLA)

- Goal: Improve performance of WSE with minimal changes to the schedule
- Strategy: Adjust class limits for…
    - Tributary Hydrologic Conditions
    - Seasonal LONINO
    - Multi-Seasonal LONINO
- General Objective: Increase frequency of Zone D pulse releases to improve in-lake performance without significantly impacting estuary & water supply performance.
- How: Modify class limits in WSE decision tree that send the decision process into different branches.

WSE Operational Guidelines Decision Tree

Part 2: Define Lake Okeechobee Discharges to Tidewater (Estuaries)



Note: This Decision Tree provides essential supplementary information to be used in conjunction with the WSE regulation schedule.

CLA-Changes in LONINO

LOK Equivalent Depth (feet)

- Seasonal



- Multi-seasonal



Note: **Red-Bold face** text represent changed classes. Second value is the new class limit value adopted under CLA.

CLA-Changes in Tributary Conditions

S-65E 14-day moving average flow (cfs)

Extremely Wet	
	9000 cfs
Very Wet	
	6000 cfs
Wet	
	3500 cfs
Normal	
	1500 to 500 cfs
Dry	
	500 to 200 cfs
Very Dry	

Note: **Red-Bold face** text represent changed classes. Second value is the new class limit value adopted under CLA.